

Odonate Species Totals for Selected Southeast NH Towns as of end of 2008

Common Name	Scientific Name	NEW HAMPSHIRE	Hillsborough County	Amherst	Hollis	Manchester	Merrimack	Merrimack County	Hooksett	Rockingham County	Auburn #	Brentwood	Exeter	Kingston #	Northwood	Nottingham #	Rye #	Strafford County	Durham	Lee
River Jewelwing	<i>Calopteryx aequabilis</i>	x	x	x	x	o	x	x	x	o	x							x	o	o
Superb Jewelwing	<i>Calopteryx amata</i>	x	x	x				x		x								x		
Sparkling Jewelwing	<i>Calopteryx dimidiata</i>	x	x	x	x		x			x								#		
Ebony Jewelwing	<i>Calopteryx maculata</i>	x	x	x	x		x	x		x	#	x	x	x	x	#		x	x	x
American Rubyspot	<i>Hetaerina americana</i>	x	x	x	x			x		x	x							x	x	x
Spotted Spreadwing	<i>Lestes congener</i>	x	x	x	x			x	x	x	x	x	#	x	o	x		x	x	o
Northern Spreadwing	<i>Lestes disjunctus</i>	x	x	x			x	x	x	x	x	x	x	x		x	#	x	x	
Emerald Spreadwing	<i>Lestes dryas</i>	x	x		x		o	x		#	#			#		#	#	x	o	x
Amber-winged Spreadwing	<i>Lestes eurinus</i>	x	x	x				x		x	#	x		#		x		x	x	
Sweetflag Spreadwing	<i>Lestes forcipatus</i>	x	x					x	x	x	#	x		#		#		o		o
Elegant Spreadwing	<i>Lestes inaequalis</i>	x	x		x		x	x		x	#		x	x		x		x	o	x
Slender Spreadwing	<i>Lestes rectangularis</i>	x	x	x	x	x		x	x	x	x	x		x	x	x	x	x	x	o
Lyre-tipped Spreadwing	<i>Lestes unguiculatus</i>	x	#					#		x							x	o	o	o
Swamp Spreadwing	<i>Lestes vigilax</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	#	x	o	o
Eastern Red Damselfly	<i>Amphiagrion saucium</i>	x	#					x		#	#			#		#		x	x	
Blue-fronted Dancer	<i>Argia apicalis</i>	x	x		x		x	x	x	x										
Variable Dancer	<i>Argia fumipennis</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	#		x	o	x
Powdered Dancer	<i>Argia moesta</i>	x	x	x	x	x	x	x	x	x	#	x	x	x		#	x	x	o	x
Aurora Damselfly	<i>Chromagrion conditum</i>	x	x	x	x		x	x	x	x	#	x	x	x	x	#	#	x	x	x
Subarctic Bluet	<i>Coenagrion interrogatum</i>	x																		
Taiga Bluet	<i>Coenagrion resolutum</i>	x	#					x										x	x	
Northern Bluet	<i>Enallagma annexum</i>	x	x	x	o					x					x			x	o	
Rainbow Bluet	<i>Enallagma antennatum</i>	x																		
Azure Bluet	<i>Enallagma aspersum</i>	x	x	x	x		x	x	x	#	x			x		x		o	o	
Boreal Bluet	<i>Enallagma boreale</i>	x	x	x	x			x	x	o	#	x		o	o	#		o	x	
Tule Bluet	<i>Enallagma carunculatum</i>	x	#					x												
Familiar Bluet	<i>Enallagma civile</i>	x	x	x			x	x		x	x		x	#		x	x	x	o	
Turquoise Bluet	<i>Enallagma divagans</i>	x	x		x	x	o	x	x	x	#		x	x	x	#	#	x		
Big Bluet	<i>Enallagma durum</i>	x								#	#			#			#			
Marsh Bluet	<i>Enallagma ebrium</i>	x	x	x	x	x	o	x	x	x	#			x		x	x	x	x	
Stream Bluet	<i>Enallagma exsulans</i>	x	x	x	x	x	x	x	x	x		x		#		#	#	x	o	x
Skimming Bluet	<i>Enallagma geminatum</i>	x	x	x	x	x	x	x	x	x		x		x		x	#	x	o	o
Hagen's Bluet	<i>Enallagma hageni</i>	x	x		x			x		#	#			#		#	#	x		

= not recorded but expected (Rockingham County only), o = no records since 1973, ? = uncertain record in need of verification, gray shading = early season species not to be expected at DSA meeting

Odonate Species Totals for Selected Southeast NH Towns as of end of 2008

Common Name	Scientific Name	NEW HAMPSHIRE	Hillsborough County	Amherst	Hollis	Manchester	Merrimack	Merrimack County	Hooksett	Rockingham County	Auburn #	Brentwood	Exeter	Kingston #	Northwood	Nottingham #	Rye #	Strafford County	Durham	Lee
New England Bluet	<i>Enallagma laterale</i>	x	x	x	x		x	x	x	o				x	#			#		
Little Bluet	<i>Enallagma minusculum</i>	x	x		x	o		x		x	#			#	x	#		x	o	o
Scarlet Bluet	<i>Enallagma pictum</i>	x	x	x	x			x		x	x			x		#		#		
Pine Barrens Bluet	<i>Enallagma recurvatum</i>	x	x	x						#										
Orange Bluet	<i>Enallagma signatum</i>	x	x	x	x		x	x		x	x		x	x	x	#	#	x	o	o
Slender Bluet	<i>Enallagma traviatum</i>	x	#					x	x	x	x									
Vernal Bluet	<i>Enallagma vernale</i>	x	x		o			x		x	#			#		x	#	o	o	
Vesper Bluet	<i>Enallagma vesperum</i>	x	#					x		x	#			x		#		o	o	o
Citrine Forktail	<i>Ischnura hastata</i>	x	x					x		x	#		x	#			x	x		
Lilypad Forktail	<i>Ischnura kellicotti</i>	x	x	x			x	x		x	x			x	x	#		x		
Fragile Forktail	<i>Ischnura posita</i>	x	x	x	x	x	o	x	x	x	x	x	x	x	x	x	x	x	x	
Eastern Forktail	<i>Ischnura verticalis</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Sphagnum Sprite	<i>Nehalennia gracilis</i>	x	x	x				x	x	x	x	x		x	x	x		x	x	
Sedge Sprite	<i>Nehalennia irene</i>	x	x	x	x			x	x	x	#	x		#		x	#	x	x	x
Gray Petaltail	<i>Tachopteryx thoreyi</i>	o	o			o														
Canada Darner	<i>Aeshna canadensis</i>	x	x	x	x		x	x	x	x	x			#	x	#	x	x	o	x
Mottled Darner	<i>Aeshna clepsydra</i>	x	x	x	x	o	x	x	x	x	#			#		x		o	o	o
Lance-tipped Darner	<i>Aeshna constricta</i>	x	x	x		o	x	x		x	x		x	x		o	x	x	x	x
Lake Darner	<i>Aeshna eremita</i>	x	x		x			x										?		?
Variable Darner	<i>Aeshna interrupta</i>	x	x	x			x	x	x	#						#		x		
Sedge Darner	<i>Aeshna juncea</i>	x																		
Zigzag Darner	<i>Aeshna sitchensis</i>	o																		
Subarctic Darner	<i>Aeshna subarctica</i>	x	x																	
Black-tipped Darner	<i>Aeshna tuberculifera</i>	x	x	x			x	x	x	x	x			x	x	#	x	x	x	o
Shadow Darner	<i>Aeshna umbrosa</i>	x	x	x	x		x	x		x	x			x	x	#	#	x	x	x
Green-striped Darner	<i>Aeshna verticalis</i>	x	x	x		o	x	x	x	x	x			x	x	#	x	x	o	o
Common Green Darner	<i>Anax junius</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Comet Darner	<i>Anax longipes</i>	x								x		x						#		
Springtime Darner	<i>Basiaeschna janata</i>	x	x	x	x	x	x	x	x	x	x	x		x		x		x	x	x
Ocellated Darner	<i>Boyeria grafiana</i>	x																		
Fawn Darner	<i>Boyeria vinosa</i>	x	x	x	x	x	o	x	x	x	#		x	x		x		x	o	x
Swamp Darner	<i>Epiaeschna heros</i>	o	o			o				o								x	o	x
Harlequin Darner	<i>Gomphaeschna furcillata</i>	x	x	x	x		x	x	x	x	x			x	x	#		x	o	x

= not recorded but expected (Rockingham County only), o = no records since 1973, ? = uncertain record in need of verification, gray shading = early season species not to be expected at DSA meeting

Odonate Species Totals for Selected Southeast NH Towns as of end of 2008

Common Name	Scientific Name	NEW HAMPSHIRE	Hillsborough County	Amherst	Hollis	Manchester	Merrimack	Merrimack County	Hooksett	Rockingham County	Auburn #	Brentwood	Exeter	Kingston #	Northwood	Nottingham #	Rye #	Strafford County	Durham	Lee
Cyrano Darner	<i>Nasiaeschna pentacantha</i>	x	x	x	x		x	x		x	#	x		x		#		x	o	
Spatterdock Darner	<i>Rhionaeschna mutata</i>	x	x	x	x			x		x	#	x		#	x	#		x		x
Lilypad Clubtail	<i>Arigomphus furcifer</i>	x	x		x		x	x		x	#		x	#		#		x	o	x
Unicorn Clubtail	<i>Arigomphus villosipes</i>	x	x	x		x		x		x	x			#		#		x	x	x
Black-shouldered Spinylegs	<i>Dromogomphus spinosus</i>	x	x	x	x	x	x	x	x	x	x		x	#		x		x	x	x
Spine-crowned Clubtail	<i>Gomphus abbreviatus</i>	x	x	x	x	o	x	x	x	x		x						x	x	
Moustached Clubtail	<i>Gomphus adelphus</i>	x	x	x	x		o	o		o	o					x		x	o	x
Beaverpond Clubtail	<i>Gomphus borealis</i>	x	x	x	x			x		x	#				x	#		x		
Harpoon Clubtail	<i>Gomphus descriptus</i>	x	x					x		#								#		
Lancet Clubtail	<i>Gomphus exilis</i>	x	x	x	x	x	x	x	x	x	o	x	x	x	x	#	#	x	x	x
Ashy Clubtail	<i>Gomphus lividus</i>	x	x	x	x		x	x	x	#	#			#		#		#		
Rapids Clubtail	<i>Gomphus quadricolor</i>	x	x			x	o	x	x											
Dusky Clubtail	<i>Gomphus spicatus</i>	x	x	x	x		x	x	x	x	o			#	x	x	#	x		
Cobra Clubtail	<i>Gomphus vastus</i>	x	x			x	x	x	x									#		
Skillet Clubtail	<i>Gomphus ventricosus</i>	x	x			x		x	x											
Dragonhunter	<i>Hagenius brevistylus</i>	x	x	x	x	x	x	x	x	x	#	x	x	#		x	x	x	x	x
Northern Pygmy Clubtail	<i>Lanthus parvulus</i>	x	o				o	o												
Southern Pygmy Clubtail	<i>Lanthus vernalis</i>	x	#					#		#	#					#		#		
Brook Snaketail	<i>Ophiogomphus aspersus</i>	x	x	x	x		o	x		#								o	o	o
Riffle Snaketail	<i>Ophiogomphus carolus</i>	x	x	x				x		#								o		o
Boreal Snaketail	<i>Ophiogomphus colubrinus</i>	o																		
Pygmy Snaketail	<i>Ophiogomphus howeii</i>	x	x			x		x	x											
Maine Snaketail	<i>Ophiogomphus mainensis</i>	x	x	x	x		x	x		#								x	o	x
Rusty Snaketail	<i>Ophiogomphus rupinsulensis</i>	x	x	x	x	x	x	x	x	#								x	o	x
Common Sanddragon	<i>Progomphus obscurus</i>	x	x	x			o	x	x	x	x			#				x		x
Eastern Least Clubtail	<i>Stylogomphus albistylus</i>	x	x	x	x	o	o	x		x	#	x	x	#		o		x	o	o
Riverine Clubtail	<i>Stylurus amnicola</i>	x	x			x	x	x	x											
Zebra Clubtail	<i>Stylurus scudderi</i>	x	x				x	x	x	#						#		o	o	
Arrow Clubtail	<i>Stylurus spiniceps</i>	x	x	x		x	x	x	x	#								#		
Delta-spotted Spiketail	<i>Cordulegaster diastatops</i>	x	x					x	x	#	#			#		#		x	o	x
Twin-spotted Spiketail	<i>Cordulegaster maculata</i>	x	x	x	x	o		x	x	#	#			#		#		x	o	x
Arrowhead Spiketail	<i>Cordulegaster obliqua</i>	x						x		o					o	#		x	o	x
Stream Cruiser	<i>Didymops transversa</i>	x	x	x	x	x	o	x	x	x	#		o	x	x	#		x	o	x

= not recorded but expected (Rockingham County only), o = no records since 1973, ? = uncertain record in need of verification, gray shading = early season species not to be expected at DSA meeting

Odonate Species Totals for Selected Southeast NH Towns as of end of 2008

Common Name	Scientific Name	NEW HAMPSHIRE	Hillsborough County	Amherst	Hollis	Manchester	Merrimack	Merrimack County	Hooksett	Rockingham County	Auburn #	Brentwood	Exeter	Kingston #	Northwood	Nottingham #	Rye #	Strafford County	Durham	Lee
Swift River Cruiser	<i>Macromia illinoiensis</i>	x	x	x	x	x	x	x	x	x	#					#		x	x	o
American Emerald	<i>Cordulia shurtleffi</i>	x	x	x	x		x	x	o	x	o	x		x	x	#		x	o	x
Petite Emerald	<i>Dorocordulia lepida</i>	x	x	x	x	x	x	x	x	x	o	x		x	x	#		x	x	x
Racket-tailed Emerald	<i>Dorocordulia libera</i>	x	x	x	x		x	x	x	x	o	x		x	x	x		x	o	x
Beaverpond Baskettail	<i>Epitheca canis</i>	x	x	x	x	x	x	x	x	x	#				o	x		o	o	
Common Baskettail	<i>Epitheca cynosura</i>	x	x	x	x	o	x	x	x	x	o	x		x	o	#	#	x	o	x
Prince Baskettail	<i>Epitheca princeps</i>	x	x	x	x	x	x	x	x	x	x		x	x		#	#	x	o	o
Mantled Baskettail	<i>Epitheca semiaquea</i>	x	x	x	x	o				#	#			#	#					
Spiny Baskettail	<i>Epitheca spinigera</i>	x	x	x		o	x	x		o	o				x	#		x		
Uhler's Sundragon	<i>Helocordulia uhleri</i>	x	x	x	x		x	x		x	#			#		x		o	o	
Umber Shadowdragon	<i>Neurocordulia obsoleta</i>	x	x		x	x	x	x	x	x		x				x		x		
Stygian Shadowdragon	<i>Neurocordulia yamaskanensis</i>	x	x			x		x										x		
Ringed Emerald	<i>Somatochlora albicincta</i>	x																		
Lake Emerald	<i>Somatochlora cingulata</i>	x																		
Ski-tipped Emerald	<i>Somatochlora elongata</i>	x	x					x										o	o	o
Forcipate Emerald	<i>Somatochlora forcipata</i>	x						x												
Delicate Emerald	<i>Somatochlora franklini</i>	x																		
Coppery Emerald	<i>Somatochlora georgiana</i>	x								x				x						
Incurvate Emerald	<i>Somatochlora incurvata</i>	x								x				x						
Kennedy's Emerald	<i>Somatochlora kennedyi</i>	x	?	?				o		o	o			#				o	o	
Mocha Emerald	<i>Somatochlora linearis</i>	x								x	#			x						
Ocellated Emerald	<i>Somatochlora minor</i>	x																		
Clamp-tipped Emerald	<i>Somatochlora tenebrosa</i>	x	x	x			x	x		x	#			x	x	#		x	o	x
Brush-tipped Emerald	<i>Somatochlora walshii</i>	x	x	x			x	x		x	#			#	#			x	o	x
Williamson's Emerald	<i>Somatochlora williamsoni</i>	x	x	x			x	x		x	#			x	x	#		x	o	x
Ebony Boghaunter	<i>Williamsonia fletcheri</i>	x	x	?				x	x	x	#				x	#		#		
Ringed Boghaunter	<i>Williamsonia lintneri</i>	x	x	x						x	x			x				x	o	
Calico Pennant	<i>Celithemis elisa</i>	x	x	x	x	o	x	x	x	x	x	x		x	x	x	x	x	o	x
Halloween Pennant	<i>Celithemis eponina</i>	x	x	x			x	x		x	x		x	x	x	x	#	x	x	x
Banded Pennant	<i>Celithemis fasciata</i>	x						x	x	#	#			#						
Martha's Pennant	<i>Celithemis martha</i>	x	x	x		o		x	x	x	x			#	#			x		
Eastern Pondhawk	<i>Erythemis simplicicollis</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Seaside Dragonlet	<i>Erythrodiplax berenice</i>	x								x							x	x	x	

= not recorded but expected (Rockingham County only), o = no records since 1973, ? = uncertain record in need of verification, gray shading = early season species not to be expected at DSA meeting

Odonate Species Totals for Selected Southeast NH Towns as of end of 2008

Common Name	Scientific Name	NEW HAMPSHIRE	Hillsborough County	Amherst	Hollis	Manchester	Merrimack	Merrimack County	Hooksett	Rockingham County	Auburn #	Brentwood	Exeter	Kingston #	Northwood	Nottingham #	Rye #	Strafford County	Durham	Lee
Blue Corporal	<i>Ladona deplanata</i>	x	x	x			x			#	#			#						
White Corporal	<i>Ladona exusta</i>	x	x	x		o	x	x	o	x	x			x	x	x		x	o	o
Chalk-fronted Corporal	<i>Ladona julia</i>	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	o	x
Frosted Whiteface	<i>Leucorrhinia frigida</i>	x	x	x	x	x	x	x	x	x	#			x	x	x	#	x	x	x
Crimson-ringed Whiteface	<i>Leucorrhinia glacialis</i>	x	x	x				x	x	x	#				x	x		o	x	
Hudsonian Whiteface	<i>Leucorrhinia hudsonica</i>	x	x	x	x		x	x	x	x	x	x		x	x	x		x	x	x
Dot-tailed Whiteface	<i>Leucorrhinia intacta</i>	x	x	x	x	x	x	x	o	x	x	x		x	x	x	x	x	x	x
Belted Whiteface	<i>Leucorrhinia proxima</i>	x	x	x	x		x	x		x	x			#		#		x	o	
Spangled Skimmer	<i>Libellula cyanea</i>	x	x	x	x	x	x	x	x	x	x	x		x	x	x	#	x	x	x
Slaty Skimmer	<i>Libellula incesta</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Widow Skimmer	<i>Libellula luctuosa</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Needham's Skimmer	<i>Libellula needhami</i>	x								x							x			
Twelve-spotted Skimmer	<i>Libellula pulchella</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Four-spotted Skimmer	<i>Libellula quadrimaculata</i>	x	x	x	x	x	x	x	x	x	x	x		#	x	#		x	o	x
Painted Skimmer	<i>Libellula semifasciata</i>	x	x	x	x	o	o	x	x	x	x			#	x	#	x	x	x	x
Great Blue Skimmer	<i>Libellula vibrans</i>	x	#							#				#		#	#	x	o	x
Elfin Skimmer	<i>Nannothemis bella</i>	x	x	x	x	o		x	x	x	#			#	x	#		x	x	
Blue Dasher	<i>Pachydiplax longipennis</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Wandering Glider	<i>Pantala flavescens</i>	x	x	x		o	x	x		x	x	x	x	x	x	x	x	x	x	x
Spot-winged Glider	<i>Pantala hymenaea</i>	x	o				o	x		x				x			x	x	x	
Eastern Amberwing	<i>Perithemis tenera</i>	x	x	x	x		o	x	x	x	x		x	x	x	x	#	x	x	x
Common Whitetail	<i>Plathemis lydia</i>	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x
Saffron-winged Meadowhawk	<i>Sympetrum costiferum</i>	x	#					x		x	#			#		#		o	o	
Black Meadowhawk	<i>Sympetrum danae</i>	x																		
Cherry-faced Meadowhawk	<i>Sympetrum internum</i>	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	
White-faced Meadowhawk	<i>Sympetrum obtrusum</i>	x	x	x			x	x	x	x	x					#		x	o	x
Ruby Meadowhawk	<i>Sympetrum rubicundulum</i>	x	x	x	x	x	x	x		x	#			x		#	x	x	x	x
Band-winged Meadowhawk	<i>Sympetrum semicinctum</i>	x	x	x	x	o	x	x	x	x	x			x		x	#	o	o	o
Autumn Meadowhawk	<i>Sympetrum vicinum</i>	x	x	x	x	o	x	x	x	x	x	x	x	x	x	x	x	x	o	x
Black Saddlebags	<i>Tramea lacerata</i>	x	x	x	x		x	x		x	x	x	x	#		#	x	x	x	x
Total species:		162	131	103	85	66	93	132	82	116	63	47	37	64	58	51	32	120	104	82
Possible species:			9	0	0	0	0	2	0	21	48	0	0	40	0	55	25	10	0	0

= not recorded but expected (Rockingham County only), o = no records since 1973, ? = uncertain record in need of verification, gray shading = early season species not to be expected at DSA meeting